



#### WYOMING STATE GOLF ASSOC

# Riverton Country Club Men's - Black

Course Rating™: 72.9 - Bogey Rating: 97.2 - Slope Rating®: 131 - Par: 72

+5.0 to +4.7	Handid	ap I	ndex®	Course Handicap™	Handid	cap I	ndex®	Course Handicap™
+3.7 to +3.0	+5.0	to	+4.7	+5	24.7	to	25.5	30
+2.9       to       +2.1       +2       27.3       to       28.1       33         +2.0       to       +1.3       +1       28.2       to       28.9       34         +1.2       to       +0.4       0       29.0       to       29.8       35         +0.3       to       0.5       1       29.9       to       30.7       36         0.6       to       1.3       2       30.8       to       31.5       37         1.4       to       2.2       3       31.6       to       32.4       38         2.3       to       3.1       4       32.5       to       33.2       39         3.2       to       3.9       5       33.3       to       34.1       40         4.0       to       4.8       6       34.2       to       35.0       41         4.9       to       5.6       7       35.1       to       35.8       42         5.7       to       6.5       8       35.9       to       36.7       43         6.6       to       7.4       9       36.8       to       37.6       44	+4.6	to	+3.8	+4	25.6	to	26.3	31
+2.0       to       +1.3       +1       28.2       to       28.9       34         +1.2       to       +0.4       0       29.0       to       29.8       35         +0.3       to       0.5       1       29.9       to       30.7       36         0.6       to       1.3       2       30.8       to       31.5       37         1.4       to       2.2       3       31.6       to       32.4       38         2.3       to       3.1       4       32.5       to       33.2       39         3.2       to       3.9       5       33.3       to       34.1       40         4.0       to       4.8       6       34.2       to       35.0       41         4.9       to       5.6       7       35.1       to       35.8       42         5.7       to       6.5       8       35.9       to       36.7       43         6.6       to       7.4       9       36.8       to       37.6       44         4.5       8.3       to       9.1       11       38.4       45         8.3	+3.7	to	+3.0	+3	26.4	to	27.2	32
+1.2       to       +0.4       0       29.0       to       29.8       35         +0.3       to       0.5       1       29.9       to       30.7       36         0.6       to       1.3       2       30.8       to       31.5       37         1.4       to       2.2       3       31.6       to       32.4       38         2.3       to       3.1       4       32.5       to       33.2       39         3.2       to       3.9       5       33.3       to       34.1       40         4.0       to       4.8       6       34.2       to       35.0       41         4.9       to       5.6       7       35.1       to       35.8       42         5.7       to       6.5       8       35.9       to       36.7       43         6.6       to       7.4       9       36.8       to       37.6       44         7.5       to       8.2       10       37.7       to       38.4       45         8.3       to       9.1       11       38.5       to       39.3       46	+2.9	to	+2.1	+2	27.3	to	28.1	33
+0.3 to 0.5	+2.0	to	+1.3	+1	28.2	to	28.9	34
0.6       to       1.3       2       30.8       to       31.5       37         1.4       to       2.2       3       31.6       to       32.4       38         2.3       to       3.1       4       32.5       to       33.2       39         3.2       to       3.9       5       33.3       to       34.1       40         4.0       to       4.8       6       34.2       to       35.0       41         4.9       to       5.6       7       35.1       to       35.8       42         5.7       to       6.5       8       35.9       to       36.7       43         6.6       to       7.4       9       36.8       to       37.6       44         7.5       to       8.2       10       37.7       to       38.4       45         8.3       to       9.1       11       38.5       to       37.6       44         7.5       to       8.2       10       37.7       to       38.4       45         8.3       to       9.1       11       38.5       to       37.0       44       45 </td <td>+1.2</td> <td>to</td> <td>+0.4</td> <td>0</td> <td>29.0</td> <td>to</td> <td>29.8</td> <td>35</td>	+1.2	to	+0.4	0	29.0	to	29.8	35
1.4       to       2.2       3       31.6       to       32.4       38         2.3       to       3.1       4       32.5       to       33.2       39         3.2       to       3.9       5       33.3       to       34.1       40         4.0       to       4.8       6       34.2       to       35.0       41         4.9       to       5.6       7       35.1       to       35.8       42         5.7       to       6.5       8       35.9       to       36.7       43         6.6       to       7.4       9       36.8       to       37.6       44         7.5       to       8.2       10       37.7       to       38.4       45         8.3       to       9.1       11       38.5       to       39.3       46         9.2       to       10.0       12       39.4       to       40.1       47         10.1       to       10.8       13       40.2       to       41.0       48         10.9       to       11.7       14       41.1       to       41.9       49	+0.3	to	0.5	1	29.9	to	30.7	36
2.3       to       3.1       4       32.5       to       33.2       39         3.2       to       3.9       5       33.3       to       34.1       40         4.0       to       4.8       6       34.2       to       35.0       41         4.9       to       5.6       7       35.1       to       35.8       42         5.7       to       6.5       8       35.9       to       36.7       43         6.6       to       7.4       9       36.8       to       37.6       44         7.5       to       8.2       10       37.7       to       38.4       45         8.3       to       9.1       11       38.5       to       39.3       46         9.2       to       10.0       12       39.4       to       40.1       47         10.1       to       10.8       13       40.2       to       41.0       48         10.9       to       11.7       14       41.1       to       41.9       49         11.8       to       12.5       15       42.0       to       42.7       50      <	0.6	to	1.3	2	30.8	to	31.5	37
3.2       to 3.9       5       33.3       to 34.1       40         4.0       to 4.8       6       34.2       to 35.0       41         4.9       to 5.6       7       35.1       to 35.8       42         5.7       to 6.5       8       35.9       to 36.7       43         6.6       to 7.4       9       36.8       to 37.6       44         7.5       to 8.2       10       37.7       to 38.4       45         8.3       to 9.1       11       38.5       to 39.3       46         9.2       to 10.0       12       39.4       to 40.1       47         10.1       to 10.8       13       40.2       to 41.0       48         10.9       to 11.7       14       41.1       to 41.9       49         11.8       to 12.5       15       42.0       to 42.7       50         12.6       to 13.4       16       42.8       to 43.6       51         13.5       to 14.3       17       43.7       to 44.5       52         14.4       to 15.1       18       44.6       to 45.3       53         15.2       to 16.0       19	1.4	to	2.2	3	31.6	to	32.4	38
4.0       to       4.8       6       34.2       to       35.0       41         4.9       to       5.6       7       35.1       to       35.8       42         5.7       to       6.5       8       35.9       to       36.7       43         6.6       to       7.4       9       36.8       to       37.6       44         7.5       to       8.2       10       37.7       to       38.4       45         8.3       to       9.1       11       38.5       to       39.3       46         9.2       to       10.0       12       39.4       to       40.1       47         10.1       to       10.8       13       40.2       to       41.0       48         10.9       to       11.7       14       41.1       to       41.9       49         11.8       to       12.5       15       42.0       to       42.7       50         12.6       to       13.4       16       42.8       to       43.6       51         13.5       to       14.3       17       43.7       to       44.5       52	2.3	to	3.1	4	32.5	to	33.2	39
4.9       to       5.6       7       35.1       to       35.8       42         5.7       to       6.5       8       35.9       to       36.7       43         6.6       to       7.4       9       36.8       to       37.6       44         7.5       to       8.2       10       37.7       to       38.4       45         8.3       to       9.1       11       38.5       to       39.3       46         9.2       to       10.0       12       39.4       to       40.1       47         10.1       to       10.8       13       40.2       to       41.0       48         10.9       to       11.7       14       41.1       to       41.9       49         11.8       to       12.5       15       42.0       to       42.7       50         12.6       to       13.4       16       42.8       to       43.6       51         13.5       to       14.3       17       43.7       to       44.5       52         14.4       to       15.1       18       44.6       to       45.3       53 </td <td>3.2</td> <td>to</td> <td>3.9</td> <td>5</td> <td>33.3</td> <td>to</td> <td>34.1</td> <td>40</td>	3.2	to	3.9	5	33.3	to	34.1	40
5.7       to 6.5       8       35.9       to 36.7       43         6.6       to 7.4       9       36.8       to 37.6       44         7.5       to 8.2       10       37.7       to 38.4       45         8.3       to 9.1       11       38.5       to 39.3       46         9.2       to 10.0       12       39.4       to 40.1       47         10.1       to 10.8       13       40.2       to 41.0       48         10.9       to 11.7       14       41.1       to 41.9       49         11.8       to 12.5       15       42.0       to 42.7       50         12.6       to 13.4       16       42.8       to 43.6       51         13.5       to 14.3       17       43.7       to 44.5       52         14.4       to 15.1       18       44.6       to 45.3       53         15.2       to 16.0       19       45.4       to 46.2       54         16.1       to 16.9       20       46.3       to 47.0       55         17.0       to 17.7       21       47.1       to 47.9       56         17.8       to 19.4       23	4.0	to	4.8	6	34.2	to	35.0	41
6.6       to       7.4       9       36.8       to       37.6       44         7.5       to       8.2       10       37.7       to       38.4       45         8.3       to       9.1       11       38.5       to       39.3       46         9.2       to       10.0       12       39.4       to       40.1       47         10.1       to       10.8       13       40.2       to       41.0       48         10.9       to       11.7       14       41.1       to       41.9       49         11.8       to       12.5       15       42.0       to       42.7       50         12.6       to       13.4       16       42.8       to       43.6       51         13.5       to       14.3       17       43.7       to       44.5       52         14.4       to       15.1       18       44.6       to       45.3       53         15.2       to       16.0       19       45.4       40.6       2       54         16.1       to       16.9       20       46.3       to       47.0       55	4.9	to	5.6	7	35.1	to	35.8	42
7.5         to         8.2         10         37.7         to         38.4         45           8.3         to         9.1         11         38.5         to         39.3         46           9.2         to         10.0         12         39.4         to         40.1         47           10.1         to         10.8         13         40.2         to         41.0         48           10.9         to         11.7         14         41.1         to         41.9         49           11.8         to         12.5         15         42.0         to         42.7         50           12.6         to         13.4         16         42.8         to         43.6         51           13.5         to         14.3         17         43.7         to         44.5         52           14.4         to         15.1         18         44.6         to         45.3         53           15.2         to         16.0         19         45.4         to         46.2         54           16.1         to         16.9         20         46.3         to         47.0         55	5.7	to	6.5	8	35.9	to	36.7	43
8.3       to       9.1       11       38.5       to       39.3       46         9.2       to       10.0       12       39.4       to       40.1       47         10.1       to       10.8       13       40.2       to       41.0       48         10.9       to       11.7       14       41.1       to       41.9       49         11.8       to       12.5       15       42.0       to       42.7       50         12.6       to       13.4       16       42.8       to       43.6       51         13.5       to       14.3       17       43.7       to       44.5       52         14.4       to       15.1       18       44.6       to       45.3       53         15.2       to       16.0       19       45.4       to       46.2       54         16.1       to       16.9       20       46.3       to       47.0       55         17.0       to       17.7       21       47.1       to       47.9       56         17.8       to       18.6       22       48.0       to       48.8       57<	6.6	to	7.4	9	36.8	to	37.6	44
9.2       to 10.0       12       39.4       to 40.1       47         10.1       to 10.8       13       40.2       to 41.0       48         10.9       to 11.7       14       41.1       to 41.9       49         11.8       to 12.5       15       42.0       to 42.7       50         12.6       to 13.4       16       42.8       to 43.6       51         13.5       to 14.3       17       43.7       to 44.5       52         14.4       to 15.1       18       44.6       to 45.3       53         15.2       to 16.0       19       45.4       to 46.2       54         16.1       to 16.9       20       46.3       to 47.0       55         17.0       to 17.7       21       47.1       to 47.9       56         17.8       to 18.6       22       48.0       to 48.8       57         18.7       to 19.4       23       48.9       to 49.6       58         19.5       to 20.3       24       49.7       to 50.5       59         20.4       to 21.2       25       50.6       to 51.4       60         21.3       to 22.9 <td< td=""><td>7.5</td><td>to</td><td></td><td>10</td><td>37.7</td><td>to</td><td>38.4</td><td>45</td></td<>	7.5	to		10	37.7	to	38.4	45
10.1       to       10.8       13       40.2       to       41.0       48         10.9       to       11.7       14       41.1       to       41.9       49         11.8       to       12.5       15       42.0       to       42.7       50         12.6       to       13.4       16       42.8       to       43.6       51         13.5       to       14.3       17       43.7       to       44.5       52         14.4       to       15.1       18       44.6       to       45.3       53         15.2       to       16.0       19       45.4       to       46.2       54         16.1       to       16.9       20       46.3       to       47.0       55         17.0       to       17.7       21       47.1       to       47.9       56         17.8       to       18.6       22       48.0       to       48.8       57         18.7       to       19.4       23       48.9       to       49.6       58         19.5       to       20.3       24       49.7       to       50.5	8.3	to	9.1	11	38.5	to	39.3	46
10.9       to       11.7       14       41.1       to       41.9       49         11.8       to       12.5       15       42.0       to       42.7       50         12.6       to       13.4       16       42.8       to       43.6       51         13.5       to       14.3       17       43.7       to       44.5       52         14.4       to       15.1       18       44.6       to       45.3       53         15.2       to       16.0       19       45.4       to       46.2       54         16.1       to       16.9       20       46.3       to       47.0       55         17.0       to       17.7       21       47.1       to       47.9       56         17.8       to       18.6       22       48.0       to       48.8       57         18.7       to       19.4       23       48.9       to       49.6       58         19.5       to       20.3       24       49.7       to       50.5       59         20.4       to       21.2       25       50.6       to       51.4	9.2	to	10.0	12	39.4	to	40.1	47
11.8       to       12.5       15       42.0       to       42.7       50         12.6       to       13.4       16       42.8       to       43.6       51         13.5       to       14.3       17       43.7       to       44.5       52         14.4       to       15.1       18       44.6       to       45.3       53         15.2       to       16.0       19       45.4       to       46.2       54         16.1       to       16.9       20       46.3       to       47.0       55         17.0       to       17.7       21       47.1       to       47.9       56         17.8       to       18.6       22       48.0       to       48.8       57         18.7       to       19.4       23       48.9       to       49.6       58         19.5       to       20.3       24       49.7       to       50.5       59         20.4       to       21.2       25       50.6       to       51.4       60         21.3       to       22.0       26       51.5       to       52.2	10.1	to	10.8	13		to	41.0	48
12.6       to       13.4       16       42.8       to       43.6       51         13.5       to       14.3       17       43.7       to       44.5       52         14.4       to       15.1       18       44.6       to       45.3       53         15.2       to       16.0       19       45.4       to       46.2       54         16.1       to       16.9       20       46.3       to       47.0       55         17.0       to       17.7       21       47.1       to       47.9       56         17.8       to       18.6       22       48.0       to       48.8       57         18.7       to       19.4       23       48.9       to       49.6       58         19.5       to       20.3       24       49.7       to       50.5       59         20.4       to       21.2       25       50.6       to       51.4       60         21.3       to       22.0       26       51.5       to       52.2       61         22.1       to       23.8       28       53.2       to       53.9	10.9	to	11.7	14	41.1	to	41.9	49
13.5       to       14.3       17       43.7       to       44.5       52         14.4       to       15.1       18       44.6       to       45.3       53         15.2       to       16.0       19       45.4       to       46.2       54         16.1       to       16.9       20       46.3       to       47.0       55         17.0       to       17.7       21       47.1       to       47.9       56         17.8       to       18.6       22       48.0       to       48.8       57         18.7       to       19.4       23       48.9       to       49.6       58         19.5       to       20.3       24       49.7       to       50.5       59         20.4       to       21.2       25       50.6       to       51.4       60         21.3       to       22.0       26       51.5       to       52.2       61         22.1       to       22.9       27       52.3       to       53.1       62         23.0       to       23.8       28       53.2       to       53.9	11.8	to	12.5	15	42.0	to	42.7	50
14.4 to 15.1       18       44.6 to 45.3       53         15.2 to 16.0       19       45.4 to 46.2       54         16.1 to 16.9       20       46.3 to 47.0       55         17.0 to 17.7       21       47.1 to 47.9       56         17.8 to 18.6       22       48.0 to 48.8       57         18.7 to 19.4       23       48.9 to 49.6       58         19.5 to 20.3       24       49.7 to 50.5       59         20.4 to 21.2       25       50.6 to 51.4       60         21.3 to 22.0       26       51.5 to 52.2       61         22.1 to 22.9       27       52.3 to 53.1       62         23.0 to 23.8       28       53.2 to 53.9       63	12.6	to	13.4	16	42.8	to	43.6	51
15.2 to 16.0       19       45.4 to 46.2       54         16.1 to 16.9       20       46.3 to 47.0       55         17.0 to 17.7       21       47.1 to 47.9       56         17.8 to 18.6       22       48.0 to 48.8       57         18.7 to 19.4       23       48.9 to 49.6       58         19.5 to 20.3       24       49.7 to 50.5       59         20.4 to 21.2       25       50.6 to 51.4       60         21.3 to 22.0       26       51.5 to 52.2       61         22.1 to 22.9       27       52.3 to 53.1       62         23.0 to 23.8       28       53.2 to 53.9       63	13.5	to	14.3	17		to	44.5	52
16.1 to 16.9       20       46.3 to 47.0       55         17.0 to 17.7       21       47.1 to 47.9       56         17.8 to 18.6       22       48.0 to 48.8       57         18.7 to 19.4       23       48.9 to 49.6       58         19.5 to 20.3       24       49.7 to 50.5       59         20.4 to 21.2       25       50.6 to 51.4       60         21.3 to 22.0       26       51.5 to 52.2       61         22.1 to 22.9       27       52.3 to 53.1       62         23.0 to 23.8       28       53.2 to 53.9       63	14.4	to	15.1	18	44.6	to	45.3	53
17.0     to     17.7     21     47.1     to     47.9     56       17.8     to     18.6     22     48.0     to     48.8     57       18.7     to     19.4     23     48.9     to     49.6     58       19.5     to     20.3     24     49.7     to     50.5     59       20.4     to     21.2     25     50.6     to     51.4     60       21.3     to     22.0     26     51.5     to     52.2     61       22.1     to     22.9     27     52.3     to     53.1     62       23.0     to     23.8     28     53.2     to     53.9     63		to	16.0	19	45.4	to	46.2	54
17.8       to       18.6       22       48.0       to       48.8       57         18.7       to       19.4       23       48.9       to       49.6       58         19.5       to       20.3       24       49.7       to       50.5       59         20.4       to       21.2       25       50.6       to       51.4       60         21.3       to       22.0       26       51.5       to       52.2       61         22.1       to       22.9       27       52.3       to       53.1       62         23.0       to       23.8       28       53.2       to       53.9       63	16.1	to	16.9	20	46.3	to	47.0	55
18.7 to 19.4       23       48.9 to 49.6       58         19.5 to 20.3       24       49.7 to 50.5       59         20.4 to 21.2       25       50.6 to 51.4       60         21.3 to 22.0       26       51.5 to 52.2       61         22.1 to 22.9       27       52.3 to 53.1       62         23.0 to 23.8       28       53.2 to 53.9       63	17.0	to	17.7		47.1	to	47.9	56
19.5     to     20.3     24     49.7     to     50.5     59       20.4     to     21.2     25     50.6     to     51.4     60       21.3     to     22.0     26     51.5     to     52.2     61       22.1     to     22.9     27     52.3     to     53.1     62       23.0     to     23.8     28     53.2     to     53.9     63	17.8	to	18.6	22	48.0	to	48.8	57
20.4     to     21.2     25     50.6     to     51.4     60       21.3     to     22.0     26     51.5     to     52.2     61       22.1     to     22.9     27     52.3     to     53.1     62       23.0     to     23.8     28     53.2     to     53.9     63	18.7	to	19.4	23	48.9	to		58
21.3 to 22.0     26     51.5 to 52.2     61       22.1 to 22.9     27     52.3 to 53.1     62       23.0 to 23.8     28     53.2 to 53.9     63	19.5	to	20.3	24	49.7	to	50.5	
22.1 to 22.9 27 52.3 to 53.1 62 23.0 to 23.8 28 53.2 to 53.9 63	20.4	to	21.2	25	50.6	to	51.4	60
23.0 to 23.8 28 53.2 to 53.9 63		to	22.0	26		to		61
		to	22.9	27		to	53.1	
23.9 to 24.6 29 54.0 to 54.0 64	23.0	to	23.8	28	53.2	to	53.9	
	23.9	to	24.6	29	54.0	to	54.0	64

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.





#### WYOMING STATE GOLF ASSOC

# Riverton Country Club Men's - Green

Course Rating™: 71.8 - Bogey Rating: 95.7 - Slope Rating®: 129 - Par: 72

Handid	cap I	ndex®	Course Handicap™	Handid	cap I	ndex®	Course Handicap™
+5.0	to	+4.7	+6	24.3	to	25.1	28
+4.6	to	+3.8	+5	25.2	to	26.0	29
+3.7	to	+2.9	+4	26.1	to	26.8	30
+2.8	to	+2.1	+3	26.9	to	27.7	31
+2.0	to	+1.2	+2	27.8	to	28.6	32
+1.1	to	+0.3	+1	28.7	to	29.5	33
+0.2	to	0.6	0	29.6	to	30.3	34
0.7	to	1.4	1	30.4	to	31.2	35
1.5	to	2.3	2	31.3	to	32.1	36
2.4	to	3.2	3	32.2	to	33.0	37
3.3	to	4.1	4	33.1	to	33.8	38
4.2	to	4.9	5	33.9	to	34.7	39
5.0	to	5.8	6	34.8	to	35.6	40
5.9	to	6.7	7	35.7	to	36.5	41
6.8	to	7.6	8	36.6	to	37.4	42
7.7	to	8.4	9	37.5	to	38.2	43
8.5	to	9.3	10	38.3	to	39.1	44
9.4	to	10.2	11	39.2	to	40.0	45
10.3	to	11.1	12	40.1	to	40.9	46
11.2	to	12.0	13	41.0	to	41.7	47
12.1	to	12.8	14	41.8	to	42.6	48
12.9	to	13.7	15	42.7	to	43.5	49
13.8	to	14.6	16	43.6	to	44.4	50
14.7	to	15.5	17	44.5	to	45.2	51
15.6	to	16.3	18	45.3	to	46.1	52
16.4	to	17.2	19	46.2	to	47.0	53
17.3	to	18.1	20	47.1	to	47.9	54
18.2	to	19.0	21	48.0	to	48.7	55
19.1	to	19.8	22	48.8	to	49.6	56
19.9	to	20.7	23	49.7	to	50.5	57
20.8	to	21.6	24	50.6	to	51.4	58
21.7	to	22.5	25	51.5	to	52.2	59
22.6	to	23.3	26	52.3	to	53.1	60
23.4	to	24.2	27	53.2	to	54.0	61

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.





#### WYOMING STATE GOLF ASSOC

### Riverton Country Club Men's - Black / Green

Course Rating™: 71.4 - Bogey Rating: 95.5 - Slope Rating®: 130 - Par: 72

Handid	cap I	ndex®	Course Handicap™	Handicap Index®		ndex®	Course Handicap™
+5.0	to	+4.3	+6	24.5	to	25.2	28
+4.2	to	+3.4	+5	25.3	to	26.1	29
+3.3	to	+2.6	+4	26.2	to	27.0	30
+2.5	to	+1.7	+3	27.1	to	27.9	31
+1.6	to	+0.8	+2	28.0	to	28.7	32
+0.7	to	0.0	+1	28.8	to	29.6	33
0.1	to	0.9	0	29.7	to	30.5	34
1.0	to	1.8	1	30.6	to	31.3	35
1.9	to	2.6	2	31.4	to	32.2	36
2.7	to	3.5	3	32.3	to	33.1	37
3.6	to	4.4	4	33.2	to	33.9	38
4.5	to	5.3	5	34.0	to	34.8	39
5.4	to	6.1	6	34.9	to	35.7	40
6.2	to	7.0	7	35.8	to	36.5	41
7.1	to	7.9	8	36.6	to	37.4	42
8.0	to	8.7	9	37.5	to	38.3	43
8.8	to	9.6	10	38.4	to	39.2	44
9.7	to	10.5	11	39.3	to	40.0	45
10.6	to	11.3	12	40.1	to	40.9	46
11.4	to	12.2	13	41.0	to	41.8	47
12.3	to	13.1	14	41.9	to	42.6	48
13.2	to	13.9	15	42.7	to	43.5	49
14.0	to	14.8	16	43.6	to	44.4	50
14.9	to	15.7	17	44.5	to	45.2	51
15.8	to	16.6	18	45.3	to	46.1	52
16.7	to	17.4	19	46.2	to	47.0	53
17.5	to	18.3	20	47.1	to	47.8	54
18.4	to	19.2	21	47.9	to	48.7	55
19.3	to	20.0	22	48.8	to	49.6	56
20.1	to	20.9	23	49.7	to	50.5	57
21.0	to	21.8	24	50.6	to	51.3	58
21.9	to	22.6	25	51.4	to	52.2	59
22.7	to	23.5	26	52.3	to	53.1	60
23.6	to	24.4	27	53.2	to	53.9	61
				54.0	to	54.0	62

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.





#### WYOMING STATE GOLF ASSOC

# Riverton Country Club

Men's - Green / Gold Combo

Course Rating™: 69.0 - Bogey Rating: 91.5 - Slope Rating®: 121 - Par: 72

Handid	Handicap Index®		ex® Course Handicap™	Handi	cap I	ndex®	Course Handicap™
+5.0	to	+4.3	+8	24.8	to	25.6	24
+4.2	to	+3.3	+7	25.7	to	26.6	25
+3.2	to	+2.4	+6	26.7	to	27.5	26
+2.3	to	+1.5	+5	27.6	to	28.4	27
+1.4	to	+0.5	+4	28.5	to	29.4	28
+0.4	to	0.4	+3	29.5	to	30.3	29
0.5	to	1.4	+2	30.4	to	31.2	30
1.5	to	2.3	+1	31.3	to	32.2	31
2.4	to	3.2	0	32.3	to	33.1	32
3.3	to	4.2	1	33.2	to	34.0	33
4.3	to	5.1	2	34.1	to	35.0	34
5.2	to	6.0	3	35.1	to	35.9	35
6.1	to	7.0	4	36.0	to	36.8	36
7.1	to	7.9	5	36.9	to	37.8	37
8.0	to	8.8	6	37.9	to	38.7	38
8.9	to	9.8	7	38.8	to	39.6	39
9.9	to	10.7	8	39.7	to	40.6	40
10.8	to	11.6	9	40.7	to	41.5	41
11.7	to	12.6	10	41.6	to	42.4	42
12.7	to	13.5	11	42.5	to	43.4	43
13.6	to	14.4	12	43.5	to	44.3	44
14.5	to	15.4	13	44.4	to	45.2	45
15.5	to	16.3	14	45.3	to	46.2	46
16.4	to	17.2	15	46.3	to	47.1	47
17.3	to	18.2	16	47.2	to	48.0	48
18.3	to	19.1	17	48.1	to	49.0	49
19.2	to	20.0	18	49.1	to	49.9	50
20.1	to	21.0	19	50.0	to	50.8	51
21.1	to	21.9	20	50.9	to	51.8	52
22.0	to	22.8	21	51.9	to	52.7	53
22.9	to	23.8	22	52.8	to	53.6	54
23.9	to	24.7	23	53.7	to	54.0	55

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.





#### WYOMING STATE GOLF ASSOC

# Riverton Country Club Men's - Gold

Course Rating™: 67.5 - Bogey Rating: 89.8 - Slope Rating®: 120 - Par: 72

Handid	cap I	ndex®	Course Handicap™	Handi	cap I	ndex®	Course Handicap™
+5.0	to	+4.8	+10	24.5	to	25.4	22
+4.7	to	+3.8	+9	25.5	to	26.3	23
+3.7	to	+2.9	+8	26.4	to	27.3	24
+2.8	to	+1.9	+7	27.4	to	28.2	25
+1.8	to	+1.0	+6	28.3	to	29.1	26
+0.9	to	+0.1	+5	29.2	to	30.1	27
0.0	to	0.9	+4	30.2	to	31.0	28
1.0	to	1.8	+3	31.1	to	32.0	29
1.9	to	2.8	+2	32.1	to	32.9	30
2.9	to	3.7	+1	33.0	to	33.8	31
3.8	to	4.7	0	33.9	to	34.8	32
4.8	to	5.6	1	34.9	to	35.7	33
5.7	to	6.5	2	35.8	to	36.7	34
6.6	to	7.5	3	36.8	to	37.6	35
7.6	to	8.4	4	37.7	to	38.6	36
8.5	to	9.4	5	38.7	to	39.5	37
9.5	to	10.3	6	39.6	to	40.4	38
10.4	to	11.2	7	40.5	to	41.4	39
11.3	to	12.2	8	41.5	to	42.3	40
12.3	to	13.1	9	42.4	to	43.3	41
13.2	to	14.1	10	43.4	to	44.2	42
14.2	to	15.0	11	44.3	to	45.1	43
15.1	to	16.0	12	45.2	to	46.1	44
16.1	to	16.9	13	46.2	to	47.0	45
17.0	to	17.8	14	47.1	to	48.0	46
17.9	to	18.8	15	48.1	to	48.9	47
18.9	to	19.7	16	49.0	to	49.9	48
19.8	to	20.7	17	50.0	to	50.8	49
20.8	to	21.6	18	50.9	to	51.7	50
21.7	to	22.5	19	51.8	to	52.7	51
22.6	to	23.5	20	52.8	to	53.6	52
23.6	to	24.4	21	53.7	to	54.0	53

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.





#### WYOMING STATE GOLF ASSOC

# Riverton Country Club Men's - Gold / Silver Combo

Course Rating™: 66.6 - Bogey Rating: 87.9 - Slope Rating®: 115 - Par: 71

Handid	cap I	ndex®	Course Handicap™	Handicap Index®		ndex®	Course Handicap™
+5.0	to	+4.1	+9	24.5	to	25.4	21
+4.0	to	+3.1	+8	25.5	to	26.4	22
+3.0	to	+2.1	+7	26.5	to	27.4	23
+2.0	to	+1.1	+6	27.5	to	28.3	24
+1.0	to	+0.1	+5	28.4	to	29.3	25
0.0	to	8.0	+4	29.4	to	30.3	26
0.9	to	1.8	+3	30.4	to	31.3	27
1.9	to	2.8	+2	31.4	to	32.3	28
2.9	to	3.8	+1	32.4	to	33.3	29
3.9	to	4.8	0	33.4	to	34.2	30
4.9	to	5.7	1	34.3	to	35.2	31
5.8	to	6.7	2	35.3	to	36.2	32
6.8	to	7.7	3	36.3	to	37.2	33
7.8	to	8.7	4	37.3	to	38.2	34
8.8	to	9.7	5	38.3	to	39.2	35
9.8	to	10.7	6	39.3	to	40.1	36
10.8	to	11.6	7	40.2	to	41.1	37
11.7	to	12.6	8	41.2	to	42.1	38
12.7	to	13.6	9	42.2	to	43.1	39
13.7	to	14.6	10	43.2	to	44.1	40
14.7	to	15.6	11	44.2	to	45.1	41
15.7	to	16.6	12	45.2	to	46.0	42
16.7	to	17.5	13	46.1	to	47.0	43
17.6	to	18.5	14	47.1	to	48.0	44
18.6	to	19.5	15	48.1	to	49.0	45
19.6	to	20.5	16	49.1	to	50.0	46
20.6	to	21.5	17	50.1	to	50.9	47
21.6	to	22.5	18	51.0	to	51.9	48
22.6	to	23.4	19	52.0	to	52.9	49
23.5	to	24.4	20	53.0	to	53.9	50
				54.0	to	54.0	51

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.





#### WYOMING STATE GOLF ASSOC

# Riverton Country Club Men's - Silver

Course Rating™: 64.8 - Bogey Rating: 86.0 - Slope Rating®: 114 - Par: 72

Handid	Handicap Index®		x® Course Handicap™	Handi	cap I	ndex®	Course Handicap™
+5.0	to	+4.3	+12	24.5	to	25.4	18
+4.2	to	+3.3	+11	25.5	to	26.4	19
+3.2	to	+2.3	+10	26.5	to	27.4	20
+2.2	to	+1.3	+9	27.5	to	28.4	21
+1.2	to	+0.3	+8	28.5	to	29.4	22
+0.2	to	0.6	+7	29.5	to	30.4	23
0.7	to	1.6	+6	30.5	to	31.4	24
1.7	to	2.6	+5	31.5	to	32.4	25
2.7	to	3.6	+4	32.5	to	33.4	26
3.7	to	4.6	+3	33.5	to	34.3	27
4.7	to	5.6	+2	34.4	to	35.3	28
5.7	to	6.6	+1	35.4	to	36.3	29
6.7	to	7.6	0	36.4	to	37.3	30
7.7	to	8.6	1	37.4	to	38.3	31
8.7	to	9.6	2	38.4	to	39.3	32
9.7	to	10.6	3	39.4	to	40.3	33
10.7	to	11.5	4	40.4	to	41.3	34
11.6	to	12.5	5	41.4	to	42.3	35
12.6	to	13.5	6	42.4	to	43.3	36
13.6	to	14.5	7	43.4	to	44.3	37
14.6	to	15.5	8	44.4	to	45.2	38
15.6	to	16.5	9	45.3	to	46.2	39
16.6	to	17.5	10	46.3	to	47.2	40
17.6	to	18.5	11	47.3	to	48.2	41
18.6	to	19.5	12	48.3	to	49.2	42
19.6	to	20.5	13	49.3	to	50.2	43
20.6	to	21.5	14	50.3	to	51.2	44
21.6	to	22.5	15	51.3	to	52.2	45
22.6	to	23.4	16	52.3	to	53.2	46
23.5	to	24.4	17	53.3	to	54.0	47

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.





#### WYOMING STATE GOLF ASSOC

### Riverton Country Club Women's - Gold

Course Rating™: 75.1 - Bogey Rating: 107.8 - Slope Rating®: 139 - Par: 72

Handid	cap I	ndex®	Course I	Handicap™	Handi	cap I	ndex®	Course Handicap™
+5.0	to	+4.6		+3	24.8	to	25.5	34
+4.5	to	+3.8		+2	25.6	to	26.3	35
+3.7	to	+3.0		+1	26.4	to	27.1	36
+2.9	to	+2.2		0	27.2	to	27.9	37
+2.1	to	+1.4		1	28.0	to	28.7	38
+1.3	to	+0.5		2	28.8	to	29.5	39
+0.4	to	0.3		3	29.6	to	30.4	40
0.4	to	1.1		4	30.5	to	31.2	41
1.2	to	1.9		5	31.3	to	32.0	42
2.0	to	2.7		6	32.1	to	32.8	43
2.8	to	3.5		7	32.9	to	33.6	44
3.6	to	4.3		8	33.7	to	34.4	45
4.4	to	5.2		9	34.5	to	35.2	46
5.3	to	6.0		10	35.3	to	36.0	47
6.1	to	6.8		11	36.1	to	36.9	48
6.9	to	7.6		12	37.0	to	37.7	49
7.7	to	8.4		13	37.8	to	38.5	50
8.5	to	9.2		14	38.6	to	39.3	51
9.3	to	10.0		15	39.4	to	40.1	52
10.1	to	10.8		16	40.2	to	40.9	53
10.9	to	11.7		17	41.0	to	41.7	54
11.8	to	12.5		18	41.8	to	42.5	55
12.6	to	13.3		19	42.6	to	43.4	56
13.4	to	14.1		20	43.5	to	44.2	57
14.2	to	14.9		21	44.3	to	45.0	58
15.0	to	15.7		22	45.1	to	45.8	59
15.8	to	16.5		23	45.9	to	46.6	60
16.6	to	17.3		24	46.7	to	47.4	61
17.4	to	18.2		25	47.5	to	48.2	62
18.3	to	19.0		26	48.3	to	49.1	63
19.1	to	19.8		27	49.2	to	49.9	64
19.9	to	20.6		28	50.0	to	50.7	65
20.7	to	21.4		29	50.8	to	51.5	66
21.5	to	22.2		30	51.6	to	52.3	67
22.3	to	23.0		31	52.4	to	53.1	68
23.1	to	23.9		32	53.2	to	53.9	69
24.0	to	24.7		33	54.0	to	54.0	70

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.





#### WYOMING STATE GOLF ASSOC

### Riverton Country Club Women's - Silver

Course Rating™: 70.8 - Bogey Rating: 100.2 - Slope Rating®: 125 - Par: 72

Handid	cap I	ndex®	Course Handicap™	Handi	cap I	ndex®	Course Handicap™
+5.0	to	+4.8	+7	24.2	to	25.0	26
+4.7	to	+3.9	+6	25.1	to	25.9	27
+3.8	to	+3.0	+5	26.0	to	26.8	28
+2.9	to	+2.1	+4	26.9	to	27.7	29
+2.0	to	+1.2	+3	27.8	to	28.6	30
+1.1	to	+0.3	+2	28.7	to	29.5	31
+0.2	to	0.6	+1	29.6	to	30.4	32
0.7	to	1.5	0	30.5	to	31.3	33
1.6	to	2.4	1	31.4	to	32.2	34
2.5	to	3.3	2	32.3	to	33.1	35
3.4	to	4.2	3	33.2	to	34.0	36
4.3	to	5.1	4	34.1	to	34.9	37
5.2	to	6.0	5	35.0	to	35.8	38
6.1	to	6.9	6	35.9	to	36.7	39
7.0	to	7.8	7	36.8	to	37.6	40
7.9	to	8.7	8	37.7	to	38.6	41
8.8	to	9.6	9	38.7	to	39.5	42
9.7	to	10.5	10	39.6	to	40.4	43
10.6	to	11.4	11	40.5	to	41.3	44
11.5	to	12.3	12	41.4	to	42.2	45
12.4	to	13.2	13	42.3	to	43.1	46
13.3	to	14.1	14	43.2	to	44.0	47
14.2	to	15.0	15	44.1	to	44.9	48
15.1	to	16.0	16	45.0	to	45.8	49
16.1	to	16.9	17	45.9	to	46.7	50
17.0	to	17.8	18	46.8	to	47.6	51
17.9	to	18.7	19	47.7	to	48.5	52
18.8	to	19.6	20	48.6	to	49.4	53
19.7	to	20.5	21	49.5	to	50.3	54
20.6	to	21.4	22	50.4	to	51.2	55
21.5	to	22.3	23	51.3	to	52.1	56
22.4	to	23.2	24	52.2	to	53.0	57
23.3	to	24.1	25	53.1	to	53.9	58
				54.0	to	54.0	59

<sup>\*</sup> When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

<sup>\*</sup> Please make sure that the tees from which you are playing correspond with the tees for which this table applies.